



Preview & close up of:
OXFORD BROWN



DECORCERA

A LEADING TILES MANUFACTURER IN INDIA

WOODEN PLANKS

PURE SPIRIT OF
WOOD
200x1200mm

random wall / floor tiles use 3mm space



OXFORD IVORY (201)

Phase 8



OXFORD TEAK (201)

Phase 8



OXFORD BROWN (201)

Phase 7



OXFORD NATURAL (201)

Phase 8



CLARA WOOD WHITE (200)

Phase 9



CLARA WOOD CREMA (200)

Phase 9



CLARA WOOD SANDLE (200)

Phase 9



CLARA WOOD NATURAL (200)

Phase 9



CLARA WOOD VERDE (200)

Phase 9



CLARA WOOD COFFEE (200)

Phase 9

PURE SPIRIT OF
WOOD
200x1200mm

random wall / floor tiles use 3mm space



Preview & Closeup of:
CLARA WOOD COFFEE



SAHARA BEIGE (201)

Phase 10



SAHARA BROWN (201)

Phase 10



SAHARA VERDE (201)

Phase 10



SAHARA BIANCO (201)

Phase 10




SAHARA BLACK (201)

Phase 10

PURE SPIRIT OF
WOOD
200x1200mm

random wall / floor tiles use 3mm space



Preview & close up of:
SAHARA BLACK



ALPINE WHITE (200)

Phase 10



ALPINE BEIGE (200)

Phase 10



ALPINE NATURAL (200)

Phase 10



ALPINE BROWN (200)

Phase 10



ALPINE GREY (200)

Phase 10

PURE SPIRIT OF
WOOD
200x1200mm

random wall / floor tiles use 3mm space



Preview & Closeup of:
ALPINE WHITE



ATENA WHITE (201)

Phase 9



ATENA CREMA (201)

Phase 9



ATENA BROWN (201)

Phase 9



ATENA GREY (201)




Phase 9



ATENA WENGUE (201)

Phase 9

PURE SPIRIT OF
WOOD
200x1200mm

 random  wall / floor tiles  use 3mm space




Preview & close up of:
ATENA WENGUE



AUTUMN GRIS (201)

Phase 9



AUTUMN OLIVE (201)

Phase 9



AUTUMN NATURAL (201)

Phase 9

PURE SPIRIT OF
WOOD
200x1200mm



random wall / floor tiles use 3mm space



COSTER WOOD GREY (201)

Phase 8



COSTER WOOD BEIGE (201)

Phase 7



COSTER WOOD COPPER (201)

Phase 8



MAPPLE BEIGE (201)

Phase 5



MAPPLE OLIVE (201)

Phase 5



MAPPLE BROWN (201)

Phase 7



MAPPLE COFFEE (201)

Phase 7



MAPPLE GREY (201)


Phase 7

PURE SPIRIT OF
WOOD
200x1200mm

random wall / floor tiles use 3mm space



Preview & close up of:
MAPPLE BROWN



Preview & close up of:
MARINE WOOD CREMA

PURE SPIRIT OF
WOOD
200x1200mm

random wall / floor tiles use 3mm space



MARINE WOOD CREMA (201)

Phase 8



MARINE WOOD GRIS (201)

Phase 8



MARINE WOOD BROWN (201)

Phase 8



MARINE WOOD VERDE (201)

Phase 8



OAK WOOD BEIGE (200)

Phase 8



OAK WOOD BROWN (200)

Phase 8

PURE SPIRIT OF
WOOD
200x1200mm



random wall / floor tiles use 3mm space



TERRA BEIGE (201)

Phase 7



TERRA CHERRY (201)

Phase 7



TIVOLI CREMA (201)

Phase 7



TIVOLI BROWN (201)

Phase 7

PURE SPIRIT OF
WOOD
200x1200mm



random wall / floor tiles use 3mm space



VALMONT COFFEE (201)

Phase 12



AFRICAN WOOD BLACK (201)

Phase 7



AFRICAN WOOD RUST (201)

Phase 7

PURE SPIRIT OF
WOOD
200x1200mm



random wall / floor tiles use 3mm space



AMARA BEIGE (201)

Phase 8



AMARA BROWN (201)

Phase 8



Preview & Closeup of:
AMAZON WHITE



PURE SPIRIT OF
WOOD
200x1200mm

random wall / floor tiles use 3mm space



AMAZON WHITE (200)

Phase 10



AMAZON DOVE (200)

Phase 10



AMAZON BEIGE (200)

Phase 10



AMAZON CHOCO (200)

Phase 10



COLUMBIA PINE (200)

Phase 11



COLUMBIA ROSSA (200)

Phase 11

PURE SPIRIT OF
WOOD
200x1200mm



random wall / floor tiles use 3mm space



ASCOT BROWN (200)

Phase 6



ASCOT CAFE (200)

Phase 6



ASCOT OLIVE (200)

Phase 6



BARK WOOD BEIGE (203)

Phase 11



BARK WOOD BROWN (203)

Phase 11



BARK WOOD NOCE (203)

Phase 11

PURE SPIRIT OF
WOOD
200x1200mm



random wall / floor tiles use 3mm space



BARMA IVORY (200)

Phase 6



BARMA BROWN (200)

Phase 6



BARMA TEAK (200)

Phase 6



Preview & close up of:
EUROPA WHITE



PURE SPIRIT OF
WOOD
200x1200mm

random wall / floor tiles use 3mm space



EUROPA WHITE (200)

Phase 7



EUROPA WHITE DECORE (200)

Phase 3



Preview & close up of:
CANVAS WOOD GRIS




PURE SPIRIT OF
WOOD
200x1200mm

random wall / floor tiles use 3mm space



CANVAS WOOD CREMA (203)

Phase 11



CANVAS WOOD NATURAL (203)

Phase 11



CANVAS WOOD GRIS (203)

Phase 11



CANVAS WOOD SMOKE (203)

Phase 11



FLOREST BEIGE (201)

Phase 9



FLOREST WHITE (201)

Phase 9

PURE SPIRIT OF
WOOD
200x1200mm



random wall / floor tiles use 3mm space



GRAIN WOOD BEIGE (200)

Phase 11



MIAMI BIANCO (201)

Phase 12



MIAMI BLACK (201)

Phase 12

PURE SPIRIT OF
WOOD
200x1200mm



random wall / floor tiles use 3mm space



NEW PORT BROWN (203)

Phase 8



IRON WOOD MINT (203)

Phase 10



IRON WOOD RUST (203)

Phase 10



IRON WOOD YELLOW (203)

Phase 10

PURE SPIRIT OF
WOOD
200x1200mm



random wall / floor tiles use 3mm space



KASHMIR WOOD TEAK (201)

Phase 14



KASHMIR WOOD WENGUE (201)

Phase 14



KASHMIR WOOD BROWN (201)

Phase 14



Preview & close up of:
PAINT WOOD AZUL



PURE SPIRIT OF
WOOD
200x1200mm

random wall / floor tiles use 3mm space



PAINT WOOD BIANCO (200)

Phase 7



PAINT WOOD GRIS (200)

Phase 7



PAINT WOOD BROWN (200)

Phase 7



PAINT WOOD AZUL (200)

Phase 7



PINE WOOD CREMA (201)

Phase 10



PINE WOOD GOLD (201)

Phase 10



PINE WOOD BROWN (201)

Phase 10



PINE WOOD NATURAL (201)

Phase 10




PINE WOOD CHERRY (201)

Phase 10



PINE WOOD WHITE (201)

Phase 10



PINE WOOD SMOKE (201)

Phase 10

PURE SPIRIT OF
WOOD
200x1200mm

random wall / floor tiles use 3mm space



Preview & close up of:
PINE WOOD CHERRY



Preview & close up of:
POPULAR BLACK



PURE SPIRIT OF
WOOD
200x1200mm

random wall / floor tiles use 3mm space



POPULAR CREMA (200)

Phase 6



POPULAR GOLD (200)

Phase 6



POPULAR NATURAL (200)

Phase 6



POPULAR BLACK (200)

Phase 6



OLD WOOD WHITE (200)

Phase 9



OLD WOOD AZUL (200)

Phase 8



OLD WOOD CAFE (200)

Phase 9

PURE SPIRIT OF
WOOD
200x1200mm




random wall / floor tiles use 3mm space



TIMELINE WHITE (200)

Phase 4



TIMELINE RUST (200)

Phase 4



Preview & close up of:
SATVARIO VIVID



PURE SPIRIT OF
WOOD
200x1200mm

random wall / floor tiles use 3mm space



SATVARIO VIVID (200)

Phase 18



SATVARIO VIVID (200)

Phase 18



SATVARIO VIVID (200)

Phase 18



SATVARIO VIVID (200)

Phase 18



SAND STONE BEIGE (200)

Phase 11



SAND STONE BEIGE DECOR (200)

Phase 3




SAND STONE WHITE (200)

Phase 11



SAND STONE WHITE DECOR (200)

Phase 3



SAND STONE GREY (200)

Phase 11

PURE SPIRIT OF
WOOD
200x1200mm

random wall / floor tiles use 3mm space



Preview & close up of:
SAND STONE WHITE



Preview & close up of:
URBAN WHITE




PURE SPIRIT OF
WOOD
200x1200mm

random wall / floor tiles use 3mm space



URBAN WHITE (203)

Phase 15



URBAN WHITE DECOR (203)



URBAN WHITE DECOR (203)



URBAN WHITE DECOR (203)



VINTAGE BROWN (201)

Phase 14



VINTAGE VERDE (201)

Phase 14



VINTAGE COFFEE (201)

Phase 14

PURE SPIRIT OF
WOOD
200x1200mm



random wall / floor tiles use 3mm space



TIMBER BIANCO (200)

Phase 10



TIMBER GRIGIO (200)

Phase 10



TIMBER SABBIA (200)

Phase 10



ELEGANT PINE (200)

Phase 8



ELEGANT BRONZE (200)

Phase 8



ELEGANT NATURAL (200)

Phase 8

PURE SPIRIT OF
WOOD
200x1200mm



random wall / floor tiles use 3mm space



BURNT WOOD ORANGE (200)

Phase 8



CARBON WHITE (200)

Phase 8



CARBON BLACK (200)

Phase 6

PURE SPIRIT OF
WOOD
200x1200mm



TECHNICAL SPECIFICATION

| Sr No. | CHARACTERISTICS | ISO TEST METHODS | VITRIFIED TILES REQUIREMENT AS PER ISO 13006 Bla / EN176 Bla | VITRIFIED TILES IS 15622 : 2006 GROUP Bla | VOGUE VALUE |
|--|---|------------------|---|--|-------------|
| A Dimension & Surface Quality | | | | | |
| 1 | Deviation in Length & Width | ISO 10545-2 | +/- 0.6 % | +/- 0.1 % | +/- 0.1 % |
| 2 | Deviation in Thickness | ISO 10545-2 | +/- 5.0 % | +/- 4.0 % | +/- 3.5 % |
| 3 | Straightness of sides | ISO 10545-2 | +/- 0.5 % | +/- 0.1 % | +/- 0.08 % |
| 4 | Rectangularity | ISO 10545-2 | +/- 0.6 % | +/- 0.1 % | +/- 0.1 % |
| 5 | Surface Flatness | ISO 10545-2 | +/- 0.5 % | +/- 0.2 % | +/- 0.2 % |
| 6 | Color Difference | ISO 10545-2 | Unaltered | Unaltered | No Change |
| B Physical Properties | | | | | |
| 1 | Water Absorption | ISO 10545-3 | ≤ 0.5% | ≤ 0.08% | 0.05% |
| 2 | Flexural Strength (MOR) | ISO 10545-4 | ≥ 35 N mm ² | ≥ 44 N mm ² | 44 |
| 3 | Mohs Hardness | EN 101 | ≥ 6 | ≥ 6 | 7 |
| 4 | Flexural Breaking Strength | ISO 10545-4 | > 1300 N | > 1500 N | 1900 N |
| 5 | Bulk Density (GM/CC) | DIN 51082 | > 2 gm/cc | > 2.2 gm/cc | 2.35 gm/cc |
| 6 | Slip Resistance Coefficient of Friction | ISO 10545-17 | ≥ 0.4 | ≥ 0.4 | ≥ 0.6 |
| C Chemical Properties | | | | | |
| 1 | Staining Resistance | ISO 10545-14 | Resistant | Resistant | Resistant |
| 2 | Household Chemicals | ISO 10545-13 | No Damage | No Damage | No Damage |
| D Thermal Properties | | | | | |
| 1 | Thermal Shock Resistance | ISO 10545-9 | No Damage | No Damage | Passed |
| 2 | Thermal Expansion | ISO 10545-8 | 9x10 ⁻⁶ Max. | 9x10 ⁻⁶ - k ¹ Max. | Passed |
| 3 | Moisture Expansion | ISO 10545-10 | Nil | Nil | Passed |

Vogue Values given above are our own values, Which we tries to maintain, how ever test results may differ up to the limit prescribed under ISO 13006 / EN 176 Group Bla

PACKING DETAILS

| SERIES | TILE SIZE | NO. OF TILES / BOX | WEIGHT / BOX (approx) | COVERAGE AREA / BOX (approx) | COVERAGE AREA / BOX (approx) |
|-------------|------------|--------------------|--------------------------|---------------------------------|---------------------------------|
| Digital GVT | 200x1200mm | 5 pcs. | 27.5 kg. | 1.20 sq. mtr. | 12.92 sq. ft. |

Note:
Colour Shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.