
DECORCERA

PORCELAIN VITRIFIED TILES

WALL & FLOOR
SIZE 30X60 CM














A WIDE VARIETY TO CHOOSE FOR

600 x
300 MM

SARAN **BEIGE**







TIPS THAT SUITS YOU

600 x
300 MM

BRUNO **BEIGE**








TILES FOR EVERY PURPOSE



600 x
300 MM

RIVERA **MARFIL**






TILES THAT LAST LONG

600 x
300 MM

EUROPA **GREY**










MAKING YOUR LIFE A LITTLE EASIER

600 x
300 MM

AEMEDA









BEAUTIFUL TILES LIKE NEVER BEFORE



BUILT LIKE A TANK



TILES FOR EVERY PURPOSE







THE BEST TIME COMPANY EVER



ART AFFORDABLE TILES







BRING LIFE TO YOUR HOME






LIVING
THE BEAUTY



AQUALITY MIX IS ADORABLE







ADORING YOUR DREAMS



MAKING YOUR HOUSES WORK BEAUTIFUL







MAKING YOUR LIFE A LITTLE EASIER



THE BEAUTY YOU ARE EXPECTING





TAKING YOUR FLOORING TO THE NEXT LEVEL








IMAGINE WHAT'S POSSIBLE



MILES OF TILES.





REAL
STONE
BEAUTY

600 x
300 MM

AEMEDA **WHITE**



600 x
300 MM

CASTLE **CREMA**





600 x
300 MM


CASTLE **GREY**



600 x
300 MM

CONEDO **BEIGE**






600 x
300 MM

CONEDO **GREY**




600 x
300 MM

FEASTA **BEIGE**




600 x
300 MM

FIESTA **CREMA**




600 x
300 MM

GEO **BEIGE**




600 x
300 MM

GEO **WHITE**




600 x
300 MM

HARVI **BEIGE**



600 x
300 MM

HARVI **WHITE**



600 x
300 MM

OXIDE **BROWN**






600 x
300 MM

OXIDE **GREY**





600 x
300 MM

PESCO **CREMA**






600 x
300 MM


PESCO **GREY**





600 x
300 MM

RIO **IVORY**



600 x
300 MM

RIO **TUSK**



600 x
300 MM

STARK **BROWN**





600 x
300 MM

STARK **GREY**






600 x
300 MM

THAR **BROWN**





600 x
300 MM

THAR **GREY**





600 x
300 MM

AMAZONE **BROWN**






600 x
300 MM


ARBOR **WHITE**





600 x
300 MM


ARCHI **GREY**






600 x
300 MM

ARISTON **CREMA**




600 x
300 MM


ARKON **BEIGE**



600 x
300 MM


BELZA **DARK GREY**






600 x
300 MM

BENINI **CREMA**



600 x
300 MM


BLAZE **GREY**





600 x
300 MM

CASTILA **GOLD**





600 x
300 MM


CLAY **CREMA**






600 x
300 MM

COTEX **BEIGE**



600 x
300 MM


DIAZA **WHITE**



600 x
300 MM


FEONA **SILVER**





600 x
300 MM

FERRO **DARK**



600 x
300 MM


LACA **WHITE**





600 x
300 MM

LAPIS **BEIGE**



600 x
300 MM


LUXOR **CREMA**





600 x
300 MM


NIKOL **IVORY**



600 x
300 MM

ORSON **SILVER**





600 x
300 MM

TECCO **SATVARIO**






600 x
300 MM

TITAL **GREY**





600 x
300 MM


WIZER **WHITE**





600 x
300 MM


AGATHA **ONYX**



600 x
300 MM


ALTO **GREY**





600 x
300 MM

AMRON **BEIGE**



600 x
300 MM


AMRON **GREY**



600 x
300 MM


AMRON OFF **WHITE**





600 x
300 MM

DUST **TUSK**



600 x
300 MM

DYNA **ROYAL**






600 x
300 MM

EBULE **BEIGE**



600 x
300 MM

EUROPA **BEIGE**



600 x
300 MM


IRONY **BROWN**



600 x
300 MM

KEROS **SATVARIO**





600 x
300 MM

LOREDO **GRAY**






600 x
300 MM

MASET **SATVARIO**






600 x
300 MM

OCEAN **ICE**





600 x
300 MM

OCEAN **MOKA**






600 x
300 MM

OCEAN **NERO**





600 x
300 MM

ROMAN **SATVARIO**






600 x
300 MM

SATVARIO **NATURAL**





600 x
300 MM


SATVARIO **QUANTUAM**





600 x
300 MM

TRAVERTINO **BEIGE**



600 x
300 MM

TRAVERTINO **CREMA**





600 x
300 MM

TRAVERTINO **IVORY**






600 x
300 MM

VANATO **BIANCO**





600 x
300 MM

FEASTA **BROWN**





TECHNICAL SPECIFICATIONS

	CHARACTERISTIC	STANDARD AS PER ISO-13006/ EN14411 GROUP BIa	VALUE	TEST METHOD
A.	**REGULATORY PROPERTIES**			
	Deviation in length & width	±0.5 %	±0.1 %	ISO-10545-2
	Deviation in thickness	±5.0 %	±4.0 %	ISO-10545-2
	Straightness in side	±0.5 %	±0.1 %	ISO-10545-2
	Rectangularity	±0.5 %	±0.1 %	ISO-10545-2
	Surface flatness	±0.5 %	±0.2 %	ISO-10545-2
	Color difference	Unaltered	No change	ISO-10545-16
	Glossiness	As per mfg	Min 4%	GLOSSOMETER
B.	**STRUCTURAL PROPERTIES**			
	Water absorption	≤ 0.05 %	≤ 0.05 %	ISO-10545-3
	Apparent density	> 2.0 g/cc	> 2.10 g/cc	DIN 51082
C.	**MASSIVE MECHANICAL PROPERT IES**			
	Modulus of rupture	Min. 35 N/mm2	Min. 40 N/mm2	ISO-10545-4
	Breaking strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
	Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
D	**SURFACE MECHANICAL PROPERT IES**			
	Surface abrasion resistance	As per mfg	Min. Class-4	ISO-10545-7
	MOH's hardness	As per mfg	Min. 5	EN 101
E.	**THERMO HYGROMETRIC PROPER TIES**			
	Frost resistance	No damage	No damage	ISO-10545-12
	Thermal shock resistance	No damage	No damage	ISO-10545-9
	Moisture expansion	Nil	Nil	ISO-10545-10
	Thermal expansion (COE)	Max. 9.0 x 10-6	Max. 6.5 x 10^{-6}	ISO-10545-8
	Crazing resistance	As per mfg	Min. 10 Cycle	ISO-10545-11
F.	**CHEMICAL PROPERTIES**			
	Chemical resistance	No damage	No damage	ISO-10545-13
	Stain resistance	Resistant	Resistant	ISO-10545-14
G	**SAFETY PROPERTIES**			
	Slip resistance	As per mfg	> 0.40	ISO-10545-17
	Fire resistance	As per mfg	Fireproof	N. A.
	Lead & Cadmium given off by glazed tiles	As per mfg	Does not yield Pb & Cd	ISO-10545-15

PACKING DETAIL

Size	Normal Thickness	No. Of Tiles / Box	Coverage Area	Weight Per Box
300 x 600 mm	9.0 mm (Approx.)	5 Pcs.	0.90 Sq. Mtr.	18.00 Kg. (Approx)



DECORCERA

Address:-

Manufacturing

At Matel Sartanpar -Matel Road, NH-27, Morbi, Gujarat - 363621, INDIA

Head Office

W9/2, DLF City, Phase-III Gurgaon, Haryana-122002, INDIA

Contact:-

pm@decorcera.com
www.decorcera.com
+91-8285644444, +91-8882466666