DECORCERA

DECORCERA CERAMIC TILES

SIZE:- 396X396MM



ADDRESS:-

W9/2 DLF City Phase-3,
Gurugram,Haryana-122002

CONTACT:-


pm@decorcera.com

www.decorcera.com

+91-8285644444, 8882466666

SAND STONE
Outdoor Floor Tiles

- Stain Resistant
- Sparkle Effect
- Highly Durable
- Suitable for Outdoor & Indoor application
- Suitable for Heavy Traffic Area


GREY

MOOD


NERO


COCO


GRAPHITE



SAND STONE
Outdoor Floor Tiles

- Stain Resistant
- Sparkle Effect
- Highly Durable
- Suitable for Outdoor & Indoor application
- Suitable for Heavy Traffic Area


CREMA


FUSION


BROWN


CHERRY

SNOW



SAND STONE
Outdoor Floor Tiles

- Stain Resistant
- Sparkle Effect
- Highly Durable
- Suitable for Outdoor & Indoor application
- Suitable for Heavy Traffic Area



SILVER NEW



JET BLACK NEW



SAHARA NEW



CADBURY NEW





654 (HARMONY CREMA) RANDOM DESIGN



655 (HARMONY COTTO) RANDOM DESIGN

656 (HARMONY BEIGE) RANDOM DESIGN



657 (HARMONY MOKA) RANDOM DESIGN







302



309



311 RANDOM DESIGN



313 RANDOM DESIGN







326



327



330



331







351



354



376



378







404




406




407 NEW




451




477




479







576




577



578




579



580





DROPS EFFECT



661 (VOLCANE) RANDOM DESIGN



662 (RIVER STONE) RANDOM DESIGN

DROPS EFFECT



827 (REFIN) NEW RANDOM DESIGN







626 (BRETON GREY)




627 (BRETON GRIGIO)

675 (RIO BIANCO) NEW



676 (RIO BEIGE) NEW





826 (MAHA RANDOM) RANDOM DESIGN






801 RANDOM DESIGN



802 RANDOM DESIGN




682 (ROYAL COTTO)







901 RANDOM DESIGN



903 RANDOM DESIGN




902 RANDOM DESIGN



911 (COTTO DECOR)







961 (ARC BEIGE)




962 (ARC GREY)



981 (QUBIX BROWN) NEW



984 (QUBIX GREY) NEW






Garden
T·I·L·E



GR-1



GR-3



GR-2

Garden
T·I·L·E



GR-21



GR-25




GR-31 NEW





Garden
T·I·L·E



GR-41 NEW



GR-42 NEW

Garden
T·I·L·E



GR-61




GR-81



GR-101







201 RANDOM DESIGN



203 RANDOM DESIGN



268



208




216



223







224



246



227



231



228



242








236




243



245




238



248




250







283



263



281



282



287



288







284



286



297



267

292 RANDOM DESIGN



294 RANDOM DESIGN





MOROCCAN TILE



269 NEW

RANDOM DESIGN

3D EFFECT



8001 NEW



8002 NEW







296



8025



8026




8028

8036

Leather Yellow-8051




Leather Brown-8052







101 RANDOM DESIGN



107 RANDOM DESIGN



109



113



114



115








130



131



137



138



139



140







144



141 RANDOM DESIGN



143



149



150





3001

3003




3004



3006



3007



3008



3009




3013




3016



3022








3020



3023



3024



3032



3026



3027



3035



3036



3037



3038







4001

4003


4004



4006



4018




4024

1001

1002

1003



1004






2001

2002

2003



2004



2005



2008



Running Colour Series

1000 WP - **(White Water Proof)**

IVORY

2000 **(Matt)**

GREY

5000 **(Matt)**

Spacial Colour Series



TERRACOTTA -6000 (Matt)

Copper Cloudy Series



COPPER CLOUDY

Running Anti Skid Series

1051

2051

Spacial Anti Skid Series



9051



10051

Technical Specification

Sr. No.	Particulars	Standard as per ISO 13006/EN 176 Group Bla	OUR VALUE	Method of Testing
1	Deviation in length	± 0.50 %	± 0.30 %	EN 98
2	Deviation in Thickness	± 5 %	± 3 %	EN 98
3	Straightness of Side	± 0.50 %	± 0.30 %	EN 98
4	Rectangularity	± 0.60 %	± 0.30 %	EN 98
5	Surface Flatness	± 0.50%	± 0.30 %	EN 98
6	Water Absorption	<6	<6	ISO 10945.3 EN 98
7	Mohs Hardness	>5	>5	EN 101
8	Flexural Strength	> 35 N/Sq. mm	> 39 N/Sq. mm	—
9	Abrasion Resistance	As Specified by Manu.	PE I 3	ISO 10545.6 EN 102
10	Frost Resistance	Frost proof	Frost proof	ISO 10545 - 11
11	Chemical Resistance	No damage	No damage	ISO 10545 - 18
12	Thermal Shock Resistance	No damage	No damage	ISO 10545 - 9
13	Coulor Resistance	No damage	No damage	—
14	Stain Resistance	Resistance	Stain Proof	ISO 10545 - 14
15	Moisture Expansion	Nill	Nill	ISO 10545 - 10
16	Crazing Resistance	Min 2 Cycle	Min 4 Cycle	—

Note: Colours shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to change the specifications without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advice you to follow the fixing instruction on the cartons of the tiles as no responsibility can be accepted by the company once the have been fixed.

Packing Details (Domestic Market)

Size	Product	Thickness	Piece/Box	Coverage Sq. Mt.	Weight
40 x 40cm.	Ceramic Floor Tiles	8 - 8.5mm.	5	0.78	13.0 Kg

Packing Details (Overseas Market)

Size	Product	Piece/Box	Coverage Sq. Mt.	Weight	Box/Container	Sqm./Container	Box/Pallet	Sqm./Pallet	Pallet/Container
40 x 40cm.	Ceramic Floor Tiles	5	0.784	13.0 Kg	2110	1654	100	78.4	21

